Schedule of Benefits & Plan Design

Medical Services Deductible Information

Deductible	Participating Providers (In Network)	Non Participating Providers (Out of Network) ¹
Individual	\$0	Not Covered
Family	\$0	Not Covered

Out of Pocket Information

Out of Pocket Maximum	Participating Providers (In Network)	Non Participating Providers (Out of Network) ¹
Individual	\$7,900	Not Covered
Family	\$15,800	Not Covered

Schedule of Benefits

The WellPREMIUM[™] Plan provides coverage for the preventive health services required by the PHSA § 2713 (a) without any cost sharing requirements. All covered In Network preventive service will be 100% covered by the Plan. Out of Network services will not be covered unless otherwise specified, and the Plan Member will owe 100% of the cost of these services.

Plan Pro	ovisions	Prior Auth Required	Participating Providers (In Network)	Non Participating Providers (Out of Network)
			Memb	er Pays
PHYSICIAN SERVICES				
Primary Care Office	(Non-Hospital Based)	No	\$35 Copay Existing Doctor \$70 Copay New Doctor	Not Covered 100% paid by Member
Visit	(Hospital Based)	No	Not Covered 100% paid by Member	Not Covered 100% paid by Member
Specialist Office Visit	(Non-Hospital Based)	No	\$75 Copay Existing Doctor \$150 Copay New Doctor	Not Covered 100% paid by Member
Specialist Office Visit	(Hospital Based)	No	Not Covered 100% paid by Member	Not Covered 100% paid by Member
Urgen	t Care	No	\$75 Copay	Not Covered 100% paid by Member

¹ If the Plan covers Emergency Room and/or Ambulance Services, those services will be covered if they are provided by an Out of Network provider and will be subject to the deductible and Out of Pocket Maximum.

Plan Pro	ovisions	Prior Auth Required	Participating Providers (In Network)	Non Participating Providers (Out of Network)	
PREVENTIVE & WELLNES	Member Pays				
(See Schedule of	(Non-Hospital Based)	No	\$0 Copay (Plan pays 100% of covered preventive and wellness services)	Not Covered 100% paid by Member	
Preventive Health Services section)	(Hospital Based)	No	Not Covered 100% paid by Member	Not Covered 100% paid by Member	
HOSPITAL/FACILITY SER	VICES				
Inpatient Room & Board	(Including Mental & Behavioral Health or Substance Abuse)	No	Not Covered -100% paid by Member	Not Covered 100% paid by Member	
Other Inpatient Services	(e.g., surgery)	No	Not Covered 100% paid by Member	Not Covered 100% paid by Member	
Outpatient Services (Partial Hospitalization is not covered)	(Limited to Mental & Behavioral Health or Substance Abuse)	No	\$75 Copay Existing Doctor \$150 Copay New Doctor	Not Covered 100% paid by Member	
Outpatient Surgery: Facility fee	(e.g., ambulatory surgery center)	No	Not Covered 100% paid by Member	Not Covered 100% paid by Member	
Emergency Room Servic	es	Νο	Not Covered 100% paid by Member	Not Covered 100% paid by Member	
DIAGNOSTIC SERVICES					
Laboratory Service	(Non-Hospital Based)	No	\$50 Copay per panel tested	Not Covered 100% paid by Member	
	(Hospital Based)	No	Not Covered 100% paid by Member	Not Covered 100% paid by Member	
Radiology	(Non-Hospital Based)	No	\$50 Copay per image billed	Not Covered 100% paid by Member	
indiology	(Hospital Based)	No	Not Covered 100% paid by Member	Not Covered 100% paid by Member	
CT/MRI/MRA/PET Scan	(Non-Hospital Based)	Yes	\$500 Copay per image billed	Not Covered 100% paid by Member	
O MINININA/FET OCAN	(Hospital Based)	Not Applicable	Not Covered 100% paid by Member	Not Covered 100% paid by Member	

Plan Pro	ovisions	Prior Auth Required	Participating Providers (In Network)	Non Participating Providers (Out of Network)
			Memb	oer Pays
PREGNANCY BENEFITS				
Office Visits	(Non-Hospital Based)	No	\$75 Copay Existing Doctor \$150 Copay New Doctor	Not Covered 100% paid by Member
	(Hospital Based)	No	Not Covered 100% paid by Member	Not Covered 100% paid by Member
Childbirth/Delivery Professional Services		No	Not Covered 100% paid by Member	Not Covered 100% paid by Member
Childbirth/	Delivery Facility Services	No	Not Covered 100% paid by Member	Not Covered 100% paid by Member
OTHER SERVICES	OTHER SERVICES			
Rehabilitation/Habilitation Services		No	Not Covered 100% paid by Member	Not Covered 100% paid by Member
Emergency Medical Transportation		No	Not Covered 100% paid by Member	Not Covered 100% paid by Member

PHARMACY BENEFITS	Participating Pharmacies	Non Participating Pharmacies
	Memb	per Pays
Preventive Prescriptions - (Subject to Formulary)		
Pharmacy Retail – up to a 31 day supply	Generic - \$0 Copay (Limited to Preventive Generic)	Not Covered 100% paid by Member
Non-Preventive Prescriptions - (Subject to Formular	y)	
Pharmacy Retail – up to a 31 day supply	Not Covered 100% paid by Member	Not Covered 100% paid by Member
Pharmacy Mail Order – 90 day supply	Not Covered 100% paid by Member	Not Covered 100% paid by Member
Specialty Drugs	Not Covered 100% paid by Member	Not Covered 100% paid by Member

WELLPREMIUM[™]

Preventive Health Services: Limitations, Intervals, and Requirements¹

The following table represents the preventive services currently covered under the WellPREMIUM[™] Plan as well as the permitted interval and any requirements of such preventive services.

Preventive Health Services			
Covered Benefits			
Benefits are automatically subject to 29 CFR § 2590.715 -2713(a). Amendments to this section through legislative act or regulation are automatically ncorporated into this document by reference. Preventive Services covered in this section are explained in more detail through the following official resources:			
 Medical services with a ratin Task Force. See <u>https://ww</u> 	-	rom the current recommendations of the United States Preventive Services servicestaskforce.org	
		children, and adolescents provided for in the comprehensive guidelines vices Administration. Guidelines can be found in <u>https://www.hrsa.gov</u>	
	,	ry Committee on Immunization Practices of the Centers for Disease Control See https://www.cdc.gov/vaccines/acip	
Benefit	Interval	Requirements	
Abdominal Aortic Aneurysm Screening	1 per lifetime	By ultrasonography in men ages 65-75 years who have ever smoked.	
Adult Annual Standard Physical	1 per plan year	Adults, one (1) physical preventive exam per plan year.	
Alcohol Misuse: Unhealthy Alcohol Use Screening and Counseling	1 per plan year	Screenings for unhealthy alcohol use in adults 18 years or older, including pregnant women, and providing persons engaged in risky or hazardous drinking with brief behavioral counseling interventions to reduce unhealthy alcohol use.	
Aspirin: Preventive Medication	As prescribed	Adults ages 50 to 59 with high risk of cardiovascular diseases and for the primary prevention of cardiovascular disease and colorectal cancer. Low-dose aspirin (81 mg/d) as preventive medication for women after 12 weeks of gestation who are at high risk for preeclampsia.	
Bacteriuria Screening	1 per plan year	Screening for asymptomatic bacteriuria with urine culture in pregnant women at 12 to 16 weeks' gestation or at the first prenatal visit, if later.	
BRCA Risk Assessment and Genetic Counseling/Testing	1 per plan year	Screening to women who have family members with breast, ovarian, tubal, or peritoneal cancer with one of several screening tools designed to identify a family history that may be associated with an increased risk for potentially harmful mutations in breast cancer susceptibility genes (<i>BRCA</i> 1 or <i>BRCA2</i>). Women with positive screening results should receive genetic counseling and, if indicated after counseling, BRCA testing.	
Breast Cancer Preventive Medications	As prescribed	Risk-reducing medications, such as tamoxifen, raloxifene, or aromatase inhibitors for women who are at increased risk for breast cancer and at low risk for adverse medication effects.	
Breast Cancer Screening	1 time every 2 plan years	Screening mammography for women age 50 years and older. Coverage limited to 2D mammograms only.	

¹ None of the Preventive Health Services are covered if they are provided at a hospital.

	Preventive	Health Services
Benefit	Interval	Requirements
Breastfeeding Support, Supplies and Counseling	In Conjunction with each birth	Interventions during pregnancy and after birth to support breastfeeding. Costs for renting breastfeeding equipment will be covered in conjunction with each birth.
Cervical Cancer Screening: with Cytology (Pap Smear)	1 time every 3 plan years	Women age 21 to 65 years with cervical cytology alone.
Cervical Cancer Screening: with Combination of Cytology and Human Papilloma Virus (HPV) testing	1 time every 5 plan years	Women age 30 to 65 years with high-risk papillomavirus (hrHPV) testing alone, or every 5 years with hrHPV testing in combination with cytology.
Chlamydia Screening	1 per plan year	Sexually active women age 24 and younger and in older women who are at increased risk infection.
Colorectal Cancer Screening	1 time every 5 plan years	Starting in adults at age 50 years and continuing until age 75 years.
Contraceptive Methods and Counseling	As prescribed	Food and Drug Administration (FDA) approved contraceptive methods, sterilization procedures, and patient education and counseling for all women with reproductive capacity, not including abortifacient drugs.
Dental Caries Prevention: Infants and Children Up to Age 5	1 per plan year	Application of fluoride varnish to the primary teeth of all infants and children starting at the age of primary tooth eruption and prescription of oral fluoride supplementation starting at age 6 months for children whose water supply is fluoride deficient.
		Screening for major depressive disorder (MDD) in adolescents aged 12 to 18 years. Screening should be implemented with adequate systems in place to ensure accurate diagnosis, effective treatment, and appropriate follow-up
Depression Screening	1 per plan year	Screening for depression in the general adult population, including pregnant and postpartum women . Screening should be implemented with adequate systems in place to ensure accurate diagnosis, effective treatment, and appropriate follow- up. Pregnant and postpartum persons at increased risk of perinatal depression should be refer to counseling interventions.
Diabetes Screening	1 per plan year	Screening for abnormal blood glucose as part of cardiovascular risk assessment in adults aged 40 to 70 years who are overweight or obese. Clinicians should offer or refer patients with abnormal blood glucose to intensive behavioral counseling interventions to promote a healthful diet and physical activity.
Fall Prevention: Older Adults	1 per plan year	Exercise interventions for community-dwelling adults age 65 years and older who are at increased risk for falls.
Folic Acid Supplementation	As prescribed	Daily supplement containing 0.4 to 0.8 mg (400 to 800µg) of folic acid for all women planning or capable of pregnancy.
Gestational Diabetes Mellitus Screening	1 per plan year	Asymptomatic pregnant women after 24 weeks of gestation.

Preventive Health Services			
Benefit	Interval	Requirements	
Gonorrhea Prophylactic Medication	As prescribed	Prophylactic ocular topical medication for all newborns for the prevention of gonococcal ophthalmia neonatorum.	
Gonorrhea Screening	1 per plan year	Sexually active women age 24 years or younger and in older women who are at increased risk for infection.	
Healthy Diet and Physical Activity Counseling to Prevent Cardiovascular Disease	1 per plan year	Adults who are overweight or obese and have additional cardiovascular disease (CVD) risk factors to intensive behavioral counseling interventions to promote a healthful diet and physical activity for CVD prevention.	
Hemoglobinopathies Screening	1 per plan year	Screening for sickle cell disease in newborns .	
Hepatitis B Screening	1 per plan year	Non-pregnant adolescents and adults at high risk for infection.	
····p······ _ ········g		Pregnant women at their first prenatal visit.	
Hepatitis C Virus (HCV) Infection Screening	1 per plan year	Persons at high risk for infection and Adults born between 1945 and 1965.	
High Blood Pressure Screening	1 per plan year	Screening for high blood pressure in adults aged 18 or older.	
HIV Preexposure Prophylaxis for the Prevention of HIV Infection	As prescribed	Persons who are at high risk of HIV acquisition.	
HIV Screening	1 per plan year	Adolescents and adults aged 15 to 65 years. Younger adolescents and older adults who are at increased risk should also be screened.	
		Pregnant women including those who present in labor, who are untested and whose HIV status is unknown.	
Hypothyroidism Screening	1 per plan year	Screening for congenital hypothyroidism in newborns .	
Intimate Partner Violence Screening	1 per plan year	Screening for intimate partner violence, in women of reproductive age and provide or refer women who screen positive to ongoing supporting services.	
Lung Cancer Screening	1 per plan year	With low-dose computed tomography in adults aged 55 to 80 years who have a 30 pack-year smoking history and currently smoke or have quit within the past 15 years. Screening should be discontinued once a person has not smoked for 15 years or develops a health problem that substantially limits life expectancy or the ability or willingness to have curative lung surgery.	
		To children and adolescents 6 years and older and offer or refer them to comprehensive, intensive behavioral interventions to promote improvements in weight status.	
Obesity screening and Counseling		Screening all adults . Clinicians should offer or refer patients with a body mass index of 30 kg/m ² or higher to intensive, multicomponent behavioral interventions.	
Osteoporosis Screening	1 per plan year	In women aged 65 and older and in younger postmenopausal women at increased risk of osteoporosis.	
Phenylketonuria Screening	1 per plan year	Screening for phenylketonuria in newborns .	

Preventive Health Services			
Benefit	Interval	Requirements	
Preeclampsia Screening	1 per plan year	Pregnant women with blood pressure measurements throughout pregnancy.	
Rh Incompatibility Screening: First Pregnancy Visit	1 per plan year	Rh (D) blood typing and antibody testing for all pregnant women during their first visit for pregnancy - related care.	
RH Incompatibility Screening: 24–28 Weeks' Gestation	1 per plan year	Repeated Rh (D) antibody testing for all unsensitized Rh (D)-negative women at 24 to 28 weeks' gestation, unless the biological father is known to be Rh (D) - negative.	
Sexually Transmitted Infections Counseling	1 per plan year	Intensive behavioral counseling for all sexually active adolescents and for adults who are at increased risk for sexually transmitted infections.	
Skin Cancer Behavioral Counseling	1 per plan year	Counseling young adults , adolescents , children , and parents of young children about minimizing their exposure to ultraviolet radiation for persons aged 6 months to 24 years with fair skin types to reduce their risk for skin cancer.	
		Adults without a history of cardiovascular disease (CVD) (i.e., symptomatic coronary artery disease or ischemic stroke) use a low- to moderate-dose statin for the prevention of CVD events and mortality when all of the following criteria are met:	
Otatia Davida Madia tian	A	1) they are aged 40 to 75 years;	
Statin Preventive Medication	As prescribed	2) they have 1 or more CVD risk factors (i.e., dyslipidemia, diabetes, hypertension, or smoking); and	
		3) they have a calculated 10-year risk of a cardiovascular event of 10% or greater. Identification of dyslipidemia and calculation of 10-year CVD event risk requires universal lipids screening in adults ages 40 to 75 years.	
Syphilis Screening	1 per plan year	Non-pregnant persons who are at increased risk for infection.	
Syphin's Screening	i per plan year	All pregnant women.	
	2 per plan year	Provide behavioral interventions for cessation to all adults who use tobacco, advise them to stop using tobacco, and provide behavioral interventions, U.S. Food and Drug Administration (FDA) approved pharmacotherapy for cessation to adults who use tobacco is covered.	
Tobacco Use Counseling and Interventions		Provide behavioral interventions for cessation to pregnant women who use tobacco.	
		Interventions, including education or brief counseling, to prevent initiation of tobacco use in school-aged children and adolescents .	
Tuberculosis Screening	1 per plan year	Screening for latent tuberculosis infection in populations at risk.	
Vision Screening	1 time every 2 plan years	All children aged 3 to 5 years to detect amblyopia or its risk factors.	
Well-Woman Visits	1 per plan year	Women under 65 to obtain the recommended preventive services that are age and developmentally appropriate, including preconception care and many services necessary for prenatal care.	
Well-Child Visits	1 per plan year	Children to obtain the recommended preventive services that are age and developmentally appropriate. (Covers 1 visit except as more frequently recommended for children under the age of 3 years.)	

Immunizations

IMMUNIZATIONS - recommended by the Advisory Committee on Immunization Practices of the Centers for Disease Control and Prevention for routine use in children, adolescents, or adults*

Birth Through Six Years Old		
Abbreviations	Vaccines	Age Requirements and Limitations
HopP	Hepatitis B	Ages 4 weeks- 2 months
НерВ		Ages 6 months- 18 months
DTaP	Diphtheria, tetanus, and acellular pertussis	Ages 15 months- 18 months
Hib	Haemophilus influenzae type b	Ages 12 months- 15 months
PCV13	Pneumococcal 13-valent conjugate	Ages 12 months- 15 months
IPV	Inactivated poliovirus	Ages 6 months-18 months
Flu	Influenza (yearly)	Ages 6 months- 6 years
MMR	Measles, mumps, and rubella	Ages 12 months- 15 months
VAR	Varicella	Ages 12 months- 15 months
11	11	Ages 12 months-23 months (1st dose)
НерА	Hepatitis A	Six months after the last dose (2nd dose)
RV	Rotavirus	Ages 2 months- 6 months (if recommended)

Children From Seven Through Eighteen Years Old		
Abbreviations	Vaccines	Age Requirements and Limitations
Flu	Influenza (yearly)	Ages 7 - 18 years
Tdap	Tetanus, diphtheria, and acellular pertussis	Ages 11- 12 years
HPV	Human papillomavirus	Ages 11- 12 years (2 shots series) Note: A 3-shot series of HPV vaccine is needed for those with weakened immune systems and those who start the series at 15 years or older
MenACWY	Meningococcal serogroups A,C,W,Y	Ages 11- 12 years
MenACWY	Meningococcal A,C,W,Y Booster	Age 16 (recommended)

Immunizations

Adults Nineteen Years or Older		
Abbreviations	Vaccines	Age Requirements and Limitations
IIV	Influenza inactivated	Ages 19 ≥ 65 years (1 dose annually)
RIV	Influenza recombinant	
LAIV	Influenza live attenuated	Ages 19 - 49 years (1 dose annually)
Tdap	Tetanus, diphtheria, and acellular pertussis	Ages 19 ≥ 65 years (1 dose Tdap, then TD booster every 10 years)
MMR	Measles, mumps, and rubella	Ages 19 - 60 years - 1 or 2 doses depending on indication (if born in 1957 or later)
VAR	Varicella	Ages 19 -37 years - 2 doses (if born in 1980 or later)
RZV	Zoster recombinant	Ages 50 ≥ 65 years - 2 doses
ZVL	Zoster live	Ages 60 ≥ 65 years - 1 dose
HPV - Female	Human papillomavirus	Ages 19 - 26 years - 2 or 3 doses depending on age at initial vaccination
HPV- Male	Human papillomavirus	Ages 19 - 21 years - 2 or 3 doses depending on age at initial vaccination
PCV13	Pneumococcal 13-valent conjugate	Ages ≥ 65 years
PPSV23	Pneumococcal 23-valent polysaccharide	Ages ≥ 65 years

* Immunization illustrations listed herein are based upon CDC recommendations contained in the following schedules: (i) Recommended Child and Adolescent Immunization Schedule (available at: https://www.cdc.gov/vaccines/schedules/hcp/imz/child-adolescent.html), and (ii) Recommended Adult Immunization Schedule (available at: https://www.cdc.gov/vaccines/schedules/hcp/imz/child-adolescent.html), and (ii) Recommended Adult Immunization Schedule (available at: https://www.cdc.gov/vaccines/schedules/hcp/imz/adult.html). Additional immunization scenarios not included in the aforementioned illustrations (such as catch-up immunization recommendations for certain high-risk groups, and immunization recommendations subject to individual clinical decision-making) may also be covered under this Plan pursuant to CDC recommendation. Information concerning these additional covered immunization scenarios (including vaccine type, age requirements, and frequency) is available online under the CDC schedule links listed above. Paper copies of these CDC schedules can also be obtained free of charge by written request to the Plan Administrator.

WELLPREMIUM[™]

Exclusions

The following exclusions apply to the benefits offered under this Plan:

- 1. Office visits, physical examinations, immunizations, and tests when required solely for the following:
 - a. Sports, e. Insurance,
 - b. Camp, f. Marriage,
 - c. Employment, g. Legal proceedings
 - d. Travel.
- 2. Routine foot care for treatment of the following:

a. Flat feet,	e. Toenails,
b. Corns,	f. Fallen arches,
— ·	

- c. Bunions, g. Weak feet, h. Chronic foot strain
- d. Calluses,
- 3. Rehabilitative therapies
- 4. Substance Abuse / Addiction Treatment Facilities
- 5. Dental procedures
- 6. Any other medical service, treatment, or procedure not covered under this Plan
- 7. Any other expense, bill, charge, or monetary obligation not covered under this Plan, including but not limited to all non-medical service expenses, bills, charges, and monetary obligations. Unless the medical service is explicitly provided by this Appendix A or otherwise explicitly provided in this Plan Document, this Plan does not cover the medical service or any related expense, bill, charge, or monetary obligation to the medical service
- 8. Acupuncture
- 9. Claims for weight control, weight reduction, or surgical treatment for obesity or morbid obesity, unless explicitly provided in the schedule of benefits
- 10. Chiropractic care
- 11. Cosmetic surgery unless authorized as medically necessary. Such authorization is based on the following causes for cosmetic surgery: accidental injury, correction of congenital deformity withing six (6) years of birth, or as a treatment of a diseased condition
- 12. Claims for eyeglasses, contacts, hearing aids (or examinations for the fitting thereof) or radial keratotomy
- 13. Any claims for fertility or infertility treatment
- 14. Home health care, hospice care, private duty nursing, or long-term care
- 15. Routine eye care (Adult)
- 16. Non-emergency care when traveling outside the U.S.

"The purpose of this list of exclusions is solely to provide additional clarity regarding treatments, procedures, products, services, or any other items which are not covered under this plan. Accordingly, no exclusion shall be interpreted by negative implication, or otherwise, as evidence of the existence of coverage under this plan."