

CATALOG

STEEL BUILDING



TABLE OF CONTENTS

2 Why Metal Depots	9 Carports	14 Windows
2 Build Your Dream	10 Light-Gauge Structural	14 Roll-Up Doors
3 Handyman Series	11 Light-Transmitting Panels	15 Sealants & Closures
5 Professional Series	11 Insulation	16 Fasteners
7 Backyard Building Series	12 Roof Jacks & Vents	17 Buildings at a Glance
8 Design Your Own	13 Doors & Frames	





WHY METAL DEPOTS

Metal Depots is a national network of retail outlets established to serve do-it-yourselfers, suburban farmers and contractors of all metal projects. We offer a large variety of metal panels perfectly suited for commercial, agricultural and residential metal roofing, a wide array of metal building components and a full spectrum of metal buildings ranging from small backyard buildings to full-size commercial buildings spanning thousands of square feet.

BUILD YOUR DREAM

We know you're looking for more than just building kits when choosing a new metal building. You're looking for value, dependability and a partner you can count on to be there throughout the project's life. This is why providing you with the choices you need and the confidence that the products you're getting are the quality you expect to build your future with, is our goal. You can find the perfect building for you by browsing this catalog, visiting our website or talking to one of our building experts in the store. Whether kit or custom, we're here to help.

Go online for a free custom building quote
www.metaldepots.com

HANDYMAN SERIES

Whether you need a garage, extra storage for your lawn tools or simply additional workspace for your hobbies, the Metal Depots Handyman Series is the quintessential do-it-yourself structure. The only building of its kind on the market, the Handyman consists of wood post columns (sold separately) and steel framing. This unique hybrid framework style ensures that the Handyman is as economical as it is customizable. With a variety of color combinations and sizes from which to choose, you can be sure to select the perfect building to meet your needs.

The Handyman can be assembled on a level dirt, crushed rock, or concrete pad. If desired, a concrete slab can be poured after the substructure has been constructed. The Handyman Series buildings have been engineered to withstand up to 110 mph wind loads. It is available for order with or without insulation. The Handyman comes with pre-punched holes, thus eliminating measuring concerns and making installation quick and easy. With a lead time of only one week, you won't have to wait long at all to erect your very own Handyman structure.



THE BUILDING KIT INCLUDES:

- 26-gauge PBR metal roof and wall panels
- Simple eave and gable trim standard; gutters and downspouts optional
- Detailed erection drawings
- Wall panels and trim available in Signature® 200 colors
- Roof panels available in Galvalume®; may upgrade to Signature® 200 color

Additional options and accessories are available.

AVAILABLE SIZES:

- WIDTHS: 18', 21', or 24'
- LENGTHS: minimum of 24' with unlimited 12' bay add-ons
- EAVE HEIGHTS: 11'2" or 13'2"



SIGNATURE® 200 Standard Colors

SILICONIZED POLYESTER

Polar White is a Straight Polyester.

- Final color selection should be made from actual color chips.
- For the most current information available, visit our website at www.metaldepots.com.
- See product catalog for gauge and color availability.
- Signature® is a registered trademark of NCI Group, Inc.



HAWAIIAN BLUE★



CRIMSON RED★



FERN GREEN★



BURNISHED SLATE★



ASH GRAY★



SADDLE TAN★



DESERT SAND★



KOKO BROWN★



CHARCOAL GRAY★



COBALT BLUE★



RUSTIC RED★



LIGHT STONE★



SOLAR WHITE★



POLAR WHITE★
* Also available in 29-gauge

★ ENERGY STAR APPROVED THROUGH OUR PARTNER, MBCI

PROFESSIONAL SERIES

METAL WORKSHOP KITS

Metal Depots prefabricated Professional Series steel buildings are perfect as workshops, machinery storage, vehicle garages, or any other application where you just need more room. Designed in multiple standard sizes, our Professional Series provides you with a quick and economical way to meet your specific needs and usage requirements. Additionally, our Professional Series includes a detailed building installation guide and technical support information as well as in-store associate support during the erection of your new metal building.

If you would like to learn more about this worthwhile investment for your home, business, school or religious organization, please contact us today. With Metal Depots Professional Series steel buildings, you can trust that the metal buildings we provide are designed and built to last.



ALL METAL BUILDING KITS INCLUDE:

- Bolt-together frame
- PBR wall and roof panels
- 40-Year Limited Warranty on painted panels
- Available in all standard colors
- Complete trim package (Does not include gutter and downspouts)
- All screws, closures, bolts and tape sealants as necessary
- Erection drawings



Classic :

30' x 30' x 10'

Utility – 20/90 mph
Basic – 20/20/110 mph
Snow – 20/30/100 mph
Premium – 20/10/120 mph

Craftsman :

30' x 40' x 12'

Utility – 20/90 mph
Basic – 20/20/110 mph
Snow – 20/30/100 mph
Premium – 20/10/120 mph

Sportsman :

30' x 50' x 12'

Utility – 20/90 mph
Basic – 20/20/110 mph
Snow – 20/30/100 mph
Premium – 20/10/120 mph

Executive :

40' x 50' x 14'

Utility – 20/90 mph
Basic – 20/20/110 mph
Snow – 20/30/100 mph
Premium – 20/10/120 mph

Rancher :

40' x 60' x 16'

Utility – 20/90 mph
Basic – 20/20/110 mph
Snow – 20/30/100 mph
Premium – 20/10/120 mph

SIGNATURE® 200 Standard Colors

SILICONIZED POLYESTER

Polar White is a Straight Polyester.

- Final color selection should be made from actual color chips.
- For the most current information available, visit our website at www.metaldepots.com.
- See product catalog for gauge and color availability.
- Signature® is a registered trademark of NCI Group, Inc.



HAWAIIAN BLUE ★



CRIMSON RED ★



FERN GREEN ★



BURNISHED SLATE ★



ASH GRAY ★



SADDLE TAN ★



DESERT SAND ★



KOKO BROWN ★



CHARCOAL GRAY ★



COBALT BLUE ★



RUSTIC RED ★



LIGHT STONE ★



SOLAR WHITE ★



POLAR WHITE ★
* Also available in 29-gauge

★ ENERGY STAR APPROVED
THROUGH OUR PARTNER, MBCI



BACKYARD BUILDING SERIES

Backyard Utility Building Kits:

- 9' x 12' x 7'
- 12' x 15' x 7'

Whether you need extra storage for your lawn tools or just more workspace for your hobby, Metal Depots Backyard Building Kits are easily assembled, available in a variety of color combinations and come with a standard 40-year paint warranty. Pre-punched holes eliminate “precise” measuring, thus making assembly quicker and easier. Floor kits are optional.

- Available in a variety of colors
- All galvanized steel frame
- Pre-punched holes in framing for easy erection
- 26-gauge Galvalume Plus® PBU roof sheets
- 26-gauge PBU wall sheets
- Includes all screws and sealants
- Erection drawings
- Floor decking not included

SIGNATURE® 200 Standard Colors

SILICONIZED POLYESTER

Polar White is a Straight Polyester.

- Final color selection should be made from actual color chips.
- For the most current information available, visit our website at www.metaldepots.com.
- See product catalog for gauge and color availability.
- Signature® is a registered trademark of NCI Group, Inc.



HAWAIIAN BLUE★



CRIMSON RED★



FERN GREEN★



BURNISHED SLATE★



ASH GRAY★



SADDLE TAN★



DESERT SAND★



KOKO BROWN★



CHARCOAL GRAY★



COBALT BLUE★



RUSTIC RED★



LIGHT STONE★



SOLAR WHITE★



POLAR WHITE★
* Also available in 29-gauge

★ ENERGY STAR APPROVED
THROUGH OUR PARTNER, MBCI


DESIGN YOUR OWN



At Metal Depots we understand that one size doesn't fit all; that's why we offer you the option to design your own customized metal building. Through our innovative design portal you can select your layout, dimensions, framed openings and other features that will help to create the building that meets your specific needs.

Choose the colors of your walls, roof and trim, as well as select additional features including windows, roll-up doors, vents and insulation as well as most other add-ons needed to make your dream a reality.

Finally, our application will also walk you through the identification of your local building codes, or you can simply call one of our metal building experts and they'll take the time to walk you through the process.



DESIGN YOUR OWN



CARPORTS

- 20' x 20'
- 25' x 25'

Tired of leaving your vehicles fully exposed to the elements? Metal Depots is here to help with carport options to fit your needs. Choose from a variety of easy to assemble options suitable for your home, farm or business.

Our Carport Kits Include:

- Purlin and Square Tubing Frame (Available in Red Oxide & Galvanized)
- 26-gauge PBR or PBU Roof Sheets in Galvalume Plus® (20-Year Warranty)
- All Sealants and Screws

Available Add-Ons:

- Roof Trim Kit (Simple Trim or Full Purlin Wrap)
- Various Roof & Trim Color Choices
- Gutters & Downspouts
- Stone facade

**SIGNATURE® 200
Standard Colors**

SILICONIZED POLYESTER

Polar White is a Straight Polyester.

- Final color selection should be made from actual color chips.
- For the most current information available, visit our website at www.metaldepots.com.
- See product catalog for gauge and color availability.
- Signature® is a registered trademark of NCI Group, Inc.



HAWAIIAN BLUE★ CRIMSON RED★ FERN GREEN★ BURNISHED SLATE★ ASH GRAY★ SADDLE TAN★ DESERT SAND★



KOKO BROWN★ CHARCOAL GRAY★ COBALT BLUE★ RUSTIC RED★ LIGHT STONE★ SOLAR WHITE★ POLAR WHITE★
* Also available in 29-gauge

★ ENERGY STAR APPROVED THROUGH OUR PARTNER, MBCI

LIGHT-GAUGE STRUCTURAL


Whether you need to build a metal building, add extra space onto your garage or build a small storage shed, Metal Depots has a generous selection of secondary structural shapes, sizes and gauges to fit your every need!

Cee and Zee Profiles

- Offered in 16-, 14- and 12-gauge
 - Available in custom lengths
 - Red Oxide Coated
- Galvanized purlins also available
 - Purlin punch-patterns available
 - Other profile sizes available



ZeeProfile




Cee Profile


CHECK WITH METAL DEPOTS FOR AVAILABILITY AND OTHER SIZES

Eave Struts

- Specify type and pitch
 - Offered in 14- and 12-gauge
 - Red Oxide Coated
 - Galvanized also available



Double Slope



Single Slope

CQ Secondary Structural

Cut-to-length option for CQ steel is available.

Cee Profile (Red Oxide)


SIZE	THICKNESS	LENGTH
4" x 2"	14-gauge	20' / 25'
6" x 2"	14-gauge	20' / 25'
8" x 2 1/2"	14-gauge	20' / 25'

CQ Base/Rake Angle

SIZE	THICKNESS	LENGTH
2" x 2"	14-gauge	20' / 25'
2" x 4"	14-gauge	20' / 25'

Receiver Channel (Inside Dimensions)

SIZE	THICKNESS	LENGTH
4 1/8" x 1 1/2"	14-gauge	20' / 25'
6 1/8" x 1 1/2"	14-gauge	20' / 25'
8 1/8" x 1 1/2"	14-gauge	20' / 25'




CQ Base/Rake Angle



Receiver Channel

Square Tubing

SIZE	THICKNESS
1" x 1"	14-gauge
2" x 2"	14-gauge
3" x 3"	14-gauge
4" x 4"	14-gauge



CHECK WITH METAL DEPOTS FOR AVAILABILITY AND OTHER SIZES



LIGHT-TRANSMITTING PANELS

Need to add a natural source of light to your metal building? Metal Depots' Light-Transmitting Panels are the answer!

- "R," "U" and Retro-R® Light-Transmitting panels consist of an 8 oz. high-strength woven roving and are fiberglass reinforced.
- Stormproof® Panel is a 5 oz. standard Light-Transmitting panel.

PBR/"R"

COVERAGE	LENGTH	PART #
36"	10'8"	HW-1509

PBU/"U"

COVERAGE	LENGTH	PART #
36"	10'8"	HW-1542

Stormproof®

COVERAGE	LENGTH	PART #
36"	10'0"	HW-1566

Retro-R®

COVERAGE	LENGTH	PART #
36"	10'8"	HW-1558



"U" Panel



"R" Panel



Stormproof®



Retro-R®

WARNING!

It is the user's responsibility to ensure that the installation and use of all light-transmitting panels comply with State, Federal and OSHA regulations and laws, including, but not limited to, guarding all light-transmitting panels with screens, fixed standard railings, or other acceptable safety controls that prevent fall-through.



INSULATION

Fiberglass Insulation

VR-R PLUS Metalized Polypropylene Backing, 3" R-10, UL Approved

SIZE	PART #
4' x 104' Roll	HW-370
6' x 103' Roll	HW-3693
Double-Face Tape	HW-522
Patch Tape	HW-523

- Non-absorbent to moisture
- Consistent high strength and opacity
- High-tensile strength
- Extra fiberglass reinforcement at no extra charge
- Mold resistant
- Meets ASTM Specification C1136-95, Types II and IV
- Meets FHC 25/50

ROOF JACKS & VENTS

Roof Jacks

- Tough ultraviolet EDPM silicone or neoprene rubber carries the best guarantee in the industry
- Aluminum base bends to form a perfect seal with any contour or roof pitch
- Square flange design adapts to any roofing material
- Seals tightly with silicone sealant and standard roofing fasteners

Roof Vents



Continuous Vent/HW-702

- 12" x 10'0"
- 26-gauge steel
- Available in Galvalume Plus® or White
- Includes damper and bird-screen



Low Profile Vents/HW-726


- 10'0" Section
- 26-gauge steel
- Available in Galvalume Plus® or White

TYPE	PART #
End Caps	HW-728
Splice	HW-727

Rubber Roof Jacks

Use our Rubber Roof Jacks to form a seal around plumbing vents and other roof projections.

SIZE	PART #
1/4" - 2"	HW-1000
1/4" - 4"	HW-1001
4" - 7"	HW-1002
6" - 11"	HW-1003



Retrofit Rubber Roof Jacks

Use our Retrofit Rubber Roof Jacks to form a seal around pre-existing plumbing vents and other roof projections.


SIZE	PART #
3/4" - 2 3/4"	HW-1005
2" - 7 1/4"	HW-1006
3 1/4" - 10"	HW-1007



Wall Louvers (With Screen)

- 18-gauge galvanized frame
- Comes standard with "R" flange
NOTE: Please specify other profiles or flat.
- Fins are 20-gauge galvanized
- Available in G-90 galvanized or painted

TYPE	SIZE	PART #
Adjustable	3' x 5'	FL-68
Adjustable	4' x 4'	FL-70



Profile Vents

TYPE	PART #
PBR	HW-116R
PBU	HW-116U
Slimline® 16"	HW-116SL16



IMPORTANT NOTE: This ventilation system is not guaranteed to be weather proof under all conditions. Many factors affect the weather tightness of this or any ventilator apparatus. Metal Depots recommends consulting a qualified architect, design engineer, or HVAC professional for your particular application.


DOORS & FRAMES

Commercial-Grade Walk Doors

Leaf only. Glass not included.

DOOR SIZE	DOOR TYPE	QUALITY	PART #
3' x 7'	M	Premium	HW-923
	G	Premium	HW-922
	NL	Premium	HW-924
4' x 7'	M	Premium	HW-907
	NL	Premium	HW-903
6' x 7'	M	Premium	HW-928
	NL	Premium	HW-929

NOTE: Door only, frame and hardware not included!




Type G

Commercial-Grade Walk Doors & Framed Packages

Metal Depots frame kits come with frame, threshold and assembly bolts. (The 6' x 7' width comes with astragal and head and foot bolts.) Our Premium Package includes weatherstrip with 6¼" and 8¼" as standard. (Weatherstrip is not included with 4¼".)

Premium Kits

DOOR SIZE	4¼" FRAME	6¼" FRAME	8¼" FRAME
3' x 7'	HW-9224	HW-9226	HW-9210
4' x 7'	HW-9254	HW-9291	HW-9211
6' x 7'	N/A	HW-9292	HW-9212




Agri-Line Door Packages

Package includes: Leaf, frame, threshold, hinges and lock-set

DOOR SIZE	DOOR TYPE	FRAME SIZE	PART #
3' x 6'8"	M	8¼" Frame	HW-9293
3' x 6'8"	G	8¼" Frame	HW-9294
3' x 6'8"	M	6¼" Frame	HW-9295
3' x 6'8"	G	6¼" Frame	HW-9296

NOTE: For deadbolt, please provide door swing



Door Accessories

Weatherstripping

DOOR SIZE	PART #
3' x 7'	HW-951
4' x 7'	HW-952
6' x 7'	HW-953

Threshold

DOOR SIZE	PART #
3' x 7'	HW-957
4' x 7'	HW-958
6' x 7'	HW-959

Door Locksets

Standard or Keyed Alike

TYPE	PART #
Standard	HW-955
Premium	HW-956

Heavy Duty Hinges

TYPE	PART #
4½" x 4½" Hinges	HW-962

Panic Hardware

TYPE	PART #
Surface mount with knob lockset	HW-963

Door Closer

TYPE	PART #
Oil operated	HW-961

Dead Bolt


TYPE	PART #
With Thumb Key	HW-994

WINDOWS

Simple Hung (with Half-Screen)

- R Panel Only

WINDOW SIZE	PREMIUM PART #
3' x 3'	HW-820
3' x 4'	HW-822
3' x 5'	HW-824



Horizontal Slide (with Half-Screen)

WINDOW SIZE	STANDARD PART #	PREMIUM PART #
3' x 2'	HW-8003	HW-800
3' x 3'	HW-8004	HW-802
4' x 5'	HW-8005	HW-804
6' x 2'	N/A	HW-806
6' x 3'	HW-8006	HW-808
6' x 4'	N/A	HW-810

- All windows stocked in popular sizes
- Your choice of "R" fins
- Self-Framing/Self-Flashing
- Horizontal Slide and Simple Hung windows are stocked in Mill finish (Bronze finish also available)
- Insulated glass available through special order

ROLL-UP DOORS

Roll-Up Doors

DOOR SIZE	MODEL #
8' x 8'	2000 with mini lock
10' x 8'	2000 Series
10' x 10'	2000 Series
12' x 10'	2000 Series
12' x 12'	2000 Series

NOTE: Metal Depots suggests you consider the opening space before you purchase a roll-up door. An 18" to 24" clearance is necessary above the door for proper installation.

Please inquire about our complete line of roll-up door accessories including electric roll-up door openers, radio control kits, electric operator kits and much more!

CALL YOUR LOCAL METAL DEPOTS FOR ADDITIONAL SIZES AND AVAILABILITY!



SEALANTS & CLOSURES

Sealants

Tape Sealer

TYPE	WIDTH	THICKNESS	LENGTH	CARTON SIZE	PART #
Flat	3/8"	3/32"	45'	40 Rolls	HW-505
Flat	1/2"	3/32"	50'	20 Rolls	HW-507
Flat	1"	1/8"	40'	12 Rolls	HW-508



Sealants

Tube Sealant

TYPE	COLOR	TUBE SIZE	PART #
Acrylic	White	11 oz.	HW-548
Acrylic	Gray	11 oz.	HW-550
Silicone	Clear	11 oz.	HW-546
Urethane	White	11 oz.	HW-540
Urethane	Almond	11 oz.	HW-544
Urethane	Bronze	11 oz.	HW-542

Touch-Up Paint

SIZE	PART #
2 oz.	HW-304



Closure Strips

5V Crimp

TYPE	SIZE	PART #
Inside	1" x 24"	HW-450
Outside	1" x 24"	HW-452



PBR

TYPE	SIZE	PART #
Inside	1" x 36"	HW-455
Outside	1" x 36"	HW-456



PBU

TYPE	SIZE	PART #
Inside	1" x 36"	HW-459
Outside	1" x 36"	HW-460



Retro-R®

TYPE	SIZE	PART #
Inside	1" x 36"	HW-468
Outside	1" x 36"	HW-469



Stormproof®

TYPE	SIZE	PART #
Inside	1" x 36"	HW-472
Outside	1" x 36"	HW-473



FASTENERS

Fasteners for your every metal building need!

Metal Depots carries fasteners to cover every facet of your metal building project. From primary bolts to pop-rivets, you can be sure that we've got you covered!

Self-Drilling Tek Screws

Use our Self-Drilling Tek Screws when attaching metal to metal. Available in Plated or Painted finish. (250 per bag)

SIZE	PART #
#12 x 1"	17
#12 x 1 1/4"	17-A



Self-Drilling Tek Screw

Phillips Head Screws

For use in wood or metal. Available in Plated or Painted finish. (250 per bag)

SIZE	PART #
#10 x 1" SDS	12



Phillips Self-Tapper

Self-Drilling Lap Tek Screws

Use our Self-Drilling Lap Tek Screws in stitching laps and attaching trim. Available in Plated or Painted finish. (250 per bag)

SIZE	PART #
Lap Tek #14 x 7/8"	4-A




Lap Tek

Wood Screws

For use in attaching metal to wood. Available in Plated or Painted finish. (250 per bag)

SIZE	PART #
#10 x 1"	8-A
#10 x 1 1/2"	8
#10 x 2 1/2"	8-C



Wood-Grip

High Strength Bolts (with Nuts)

Bolt Grade is A325 and Nut Grade is A563. Available in Plated finish.

SIZE	PART #
5/8" x 1 3/4" plated (A325)	HW-3545
5/8" x 2" plated (A325)	HW-358
3/4" x 1 3/4" plated (A325)	HW-359
3/4" x 2" plated (A325)	HW-3536



Machine Bolt (with Nut)

Bolt and Nut Grade is A307. Available in Plated finish.

SIZE	PART #
1/2" x 1" plated (A307)	HW-355



Long-Life Screws

For attaching panels to structure. Available in Plated or Painted finish. (250 per bag)

SIZE	PART #
LL Wood #10 x 1"	9-A
LL Wood #10 x 1 1/2"	9
LL Lap Tek	4
LL Driller	3



Long-Life Wood-Grip



Long-Life Self-Drilling Lap Tek

Long-Life Self-Drilling Tek



Hex Washer Head

For use in metal to metal. Available in Plated finish. (250 per bag)

SIZE	PART #
#8 x 5/8" SDS	24



Hex Head Self-Drilling with Washer

Pop-Rivets

For attaching panels to trim. Available in Plated or Painted finish. (250 per bag)

SIZE	PART #
1/8" x 3/16"	14



Masonry Anchor

For use in metal to concrete. Available in Plated finish. (250 per bag)

SIZE	PART #
1/4" x 1 1/4"	11




BUILDINGS AT A GLANCE

Commitment to Service

This detail and glossary are provided to assist you in becoming familiar with the structure, components and terminology that are native to the metal building industry and used by Metal Depots. Additional items (that may not be shown here) are defined on our website glossary — www.metaldepots.com

We look forward to serving you as you develop and implement your metal building project!



Anchor Bolt Plan


A plan view drawing showing the diameter, location and projection of all anchor bolts for the components of the metal building system and may show column reactions (magnitude and direction). The maximum base plate dimensions may also be shown.

Approval Drawings A set of drawings that may include framing plans, elevations and sections through the building for approval by the builder.

Base Angle An angle secured to a wall or foundation used to attach the bottom of the wall paneling.

Bay The space between frame center lines or primary supporting members in the longitudinal direction of the building.

Beam and Column A structural system consisting of a series of rafter beams supported by columns. Often used as the end frame of a building.



IMPORTANT NOTE: Colors shown are for illustration purposes only and do not represent actual colors sold by Metal Depots. Final selection should be made from color chips.

Bracing Rods, angles or cables used in the plane of the roof and walls to transfer loads, such as wind, seismic and crane thrusts to the foundation.

Building Code Regulations established by a recognized agency describing design loads, procedures and construction details for structures usually applying to a designated political jurisdiction (city, county, state, etc.).

Built-Up Section A structural member, usually an "I" shaped section, made from individual flat plates welded together.

Cee Section A structural member in the shape of a block "C" formed from steel sheet that may be used either singularly or back to back.

Closure Strip A strip, formed to the contour of ribbed panels and used to close openings created by ribbed panels joining other components, either made of resilient material or metal.

Eave The line along the sidewall formed by the intersection of the planes of the roof and wall.

Framed Opening Framing members and flashing which surround an opening.

Gable The triangular portion of the endwall from the level of the eave to the ridge of the roof.

Loads:

- **Auxiliary Loads** All specified dynamic live loads other than the basic design loads which the building must safely withstand, such as cranes, material handling systems, machinery, elevators, vehicles and impact loads.

- **Collateral Loads** The weight of additional permanent materials required by the contract other than the Building System, such as sprinklers, mechanical and electrical systems, partitions and ceilings.

- **Dead Loads** The dead load of a building is the weight of all permanent construction, such as floor, roof, framing and covering members.

- **Design Loads** Those loads specified in building codes published by federal, state, county or city agencies or in owner's specifications to be used in the design of a building.

- **Live Loads** Loads that are produced (1) during maintenance by workers, equipment and materials and (2) during the life of the structure by movable objects and do not include wind, snow, seismic or dead loads.

Main Frame An assemblage of rafters and columns that support the secondary framing members and transfer loads directly to the foundation.

Purlin A horizontal structural member that supports roof coverings and carries loads to the primary framing members.

Rake The intersection of the plane of the roof and the plane of the endwall.

Ridge The horizontal line formed by opposing sloping sides of a roof running parallel with the building length.

Self-Drilling Screw A fastener that combines the function of drilling and tapping.

Self-Tapping Screw A fastener that taps its own threads in a predrilled hole.

Ventilator A roof mounted accessory which allows the air to pass through.

Zee Section A structural member cold formed from steel sheet in the approximate shape of a "Z".



CATALOG

Call or visit us online or in the store nearest you to meet with a project expert to learn more about our product offerings.

www.metaldepots.com

© Metal Depots 2019, part of the Cornerstone Building Brands family. All Rights Reserved.



STAY IN TOUCH
facebook.com/metaldepots

Descriptions and specifications contained herein were in effect at the time this publication was approved for printing. In a continuing effort to refine and improve products, Metal Depots reserves the right to discontinue products at any time or change specifications and/or designs without incurring obligation. To ensure you have the latest information available, please inquire or visit our website at www.metaldepots.com.

