



| Baldwin Park, CA



| PRODUCT CATALOG



- ✓ Trims & Flashing
- ✓ Metal Roofing

- ✓ Ventilation
- ✓ Soffit & Fascia



Professional Grade

DELIVERIES: 7 TO 10 BUSINESS DAYS

TOLL FREE CUSTOMER SERVICE

800-576-9810
AZ, CA, CO, HI, NV, WY



AWARD METALS
1450 Virginia Ave., Baldwin Park, CA 91706
Tel: 626-814-4410 · Fax: 1.626.349.3114




Table of Contents

Roofing Panels

2 1/2" Corrugated Roofing Panels..... 3
SM-Rib 3

Roofing Accessories

Ridge Cap Flashing 4
Woodfast Screws 4
Butyl Tape..... 4
Moss Control Roll..... 4

Trims & Flashings

Bare Metal Drip Edge 5
Drip Edge Bonderized 5
Painted Drip Edge 5
Grip Edge 5
3-Way Roof Edge 6
Fascia Cap..... 6
Bare Metal Gravel Stop..... 6
Painted Gravel Stop..... 6
Roof Starter..... 6
Style-D Eave Drip..... 7
Tile Riser 7
Tile Pan 7
Saddle Stock..... 7
Bird Stop 7
Counter Flashing 8
Bare Metal L-Flashing..... 8
Painted L-Flashing..... 8
Bare Metal Roof to Wall..... 9
Painted Roof to Wall..... 9
W-Valley 9
Millwork Z-Flashing 10
Stainless Steel Z-Flashing 10
Z-Flashing 10

Roll Flashing/Flat Stock

Galvanized Steel Roll Flashing..... 11
Aluminum Roll Flashing..... 11
Galvanized Flat Shingles..... 11
Painted Flat Shingles..... 11

Step Flashing

Painted Step Flashing 12
Galvanized Step Flashing 12
Galvanized Step Flashing 12

Pipe Flashing

Multi Size Pipe Flashing 13
Galvanized 13
FHA Pipe Flashing 13
Aluminum 13
Plastic..... 13

Flue Guard™ Spark Arrestor Chimney Cap 13
Repair Collar 13

Gable Louvers

Rectangular Gable Louver 14
Scupper 14

Rooftop Vents

Econo Vent 15
T-Top..... 15
Total JACK™ 15
T-Top Sub-Base..... 15
Code Caps & Bases..... 15
Vent Caps..... 15
Half Round Dormer 16
Soft Flange Dormer 16
Kwik Mesh™ 16
24 in. Stealth Vent®..... 16
Low Profile Dormer..... 16
RV38 Slant Back Galvanized 16
RVG51 Square Galvanized Steel Static Vent 16
RVG55 Slant Back Galvanized Steel Static Vent..... 16

Sidewall Vents

Ventilating Access Door..... 17
Flat Screen Vent 17
Two Way Vents..... 17

Tub Access Door 17
Dryer Cap..... 17

Eave, Soffit & Foundation Vents

Continuous Soffit Vent..... 18
Eave Vent 18
Rain Diverter..... 18
Soffit Vent 18
Stamped Foundation Vent 18

Fascia Gutter


Straight Fascia Gutter 19
Slip Connectors..... 19
Outside Mitre 19
Elbows 19
Conductor Head 19
End Piece 19
Inside Mitre..... 19
Fascia Gutter Hangers 19

Gutter Accessories

Wire Strainers..... 20
Downspout Straps 20
Downspouts..... 20

Corrugated

Exposed fastener roofing panel. 21-1/2 inch width roofing coverage. 24 inch width siding coverage.
Applications: Residential, Agricultural, Architectural, Light Commercial, Industrial




2 1/2" Corrugated Roofing Panels - Pack Quantity: 50

Description	29 Gauge
6 ft.	CR6G-U
8 ft.	CR8G-U
10 ft.	CR10G-U
12 ft.	CR12G-U
14 ft.	CR14G-U
16 ft.	CR16G-U

G90, conforming to ASTM A446

Code Approvals

UL Fire Resistant Directory #R20735
UL Listing Directory #R20735
Florida Building #FL-11175-R1



SM-Rib

Exposed fastener roofing and siding panel. 36 inch width coverage.
Applications: Residential, Agricultural, Light Commercial, Industrial




Size	Acrylic/Galv/Zinc	White	Red	Gray	Slate	Black	Green
8 ft.	987601	987609	987618	987627	987635	987646	987655
10 ft.	987602	987610	987619	987628	987636	-	-
12 ft.	987603	987611	987620	987629	987637	987648	987657
14 ft.	987604	987612	987621	987630	987638	-	-
16 ft.	987605	987613	987622	987631	987639	-	-

29 Gauge



1. For the most recent code approval numbers, contact Gibraltar Building Products Technical Department or refer to the appropriate code agency.



Testing Data & Specifications

Accelerated testing 2000 hours - ASTM G23
Salt Spray testing 1000 hours - ASTM B117
Fire Testing - ASTM E108 or UL 790
Wind Driven Rain - TAS 100


Code Approvals

UL Fire Resistant Directory #R20735
Miami Dade: N.O.A. No. 09-0630.11
Florida Building #FL-11175

Ridge Cap Flashing

for hip and ridge roof sections. For shingle or metal roof applications.
10 ft. lengths · Galvanized Steel · Pack Quantity: 10

Size	Acrylic/Galv/Zinc	White	Red	Gray	Slate	Black	Green
2" x 10ft	987608	987616	987625	987634	987642	987653	987662



Woodfast Screws

Galvanized #10 Hex-Head with neoprene gasket and self-piercing tip.
100 per bag · 10 bags per carton

Description	White	Red	Black	Green
#10 1-1/2"	987682	987683	987654	987663



Butyl Tape

used to seal metal-to-metal connections.
32 rolls per carton

Description	Part #
50 ft. Butyl Tape	99415



Moss Control Roll


Zinc strip to prevent moss from growing.
6 rolls per carton

Description	Part #
2-1/2 in. x 50 ft. with nails	MB50



Bare Metal Drip Edge 10 ft. lengths · Pack Quantities: 20

Galvanized: A x B	28 Ga.	26 Ga.
1 in. x 2 in.	RE12G	-
1-1/2 in. x 1-1/2 in.	RE15G	RE15G-26
2 in. x 2 in.	RE22G	RE22G-26
2 in. x 3 in.	RE23G	-
2 in. x 4 in.	RE24G	RE24G-26
2 in. x 6 in.	-	RE26G-26
3 in. x 3 in.	RE33G	RE33G-26
4 in. x 4 in.	RE44G	-



Drip Edge Bonderized

A x B	28 Ga.	26 Ga.
1-1/2 in. x 1-1/2 in.	RE15B	-
2 in. x 3 in.	RE23B	-
2 in. x 4 in 110 Deg	-	RE24B-110-26
2 in. x 4 in	-	RE24B-26


16 oz. Copper

A x B	Part #
1-1/2 in. x 2 in.	RE152CPR
2 in. x 2 in.	RE22CPR

Painted Drip Edge 10 ft. lengths · Pack Quantities: 20


28 Gauge: A x B	Black	Brown	Charcoal	D. Brown	Gray	R. Brown	White
1 in. x 2 in	-	-	-	-	-	-	RE12WH
1-1/2 in. x 1-1/2 in.	RE15BL	RE15BR	RE15CH	RE15BRW	RE15GR-NW	RE15BRU	RE15WH
2 in. x 2 in.	RE22BL	RE22BR	RE22CH	-	-	RE22BRU	RE22WH
2 in. x 3 in.	-	RE23BR	RE23CH	RE23BRW	-	RE23BRU	RE23WH
2 in. x 4 in.	-	RE24BR	RE24CH	-	-	-	RE24WH
3 in. x 3 in.	RE33BL	RE33BR	RE33CH	RE33BRW-NW	-	-	RE33WH

26 Gauge: A x B	Brown	Charcoal	D. Brown	White
1-1/2 in. x 1-1/2 in.	RE15BR-26	RE15CH-26	-	RE15WH-26
2 in. x 2 in.	RE22BR-26	RE22CH-26	-	RE22WH-26
2 in. x 4 in.	RE24BR-26	RE24CH-26	RE24BR-26	RE24WH-26




Grip Edge 28 Gauge · 10 ft. lengths · Pack Quantity: 30

Size: A x B	Galvanized	Brown	Charcoal	White
1 in. x 2 in.	GE12G	-	-	-
1-1/2 in. x 1-1/2 in.	GE15G	GE15BR	GE15CH	GE15WH
2 in. x 2 in.	GE22G	GE22BR	-	GE22WH
2 in. x 3 in.	-	-	-	GE23WH



3-Way Roof Edge 28 Gauge · 10 ft. lengths · Pack Quantity: 10


Material	Part #
Brown Painted Steel	3W4BR
White Painted Steel	3W4WH



Fascia Cap 28 Gauge · 10 ft. lengths · Pack Quantity: 10


Color	Part #
Dark Brown	FC2BRW

Protects roof edges by diverting water away from a wooden fascia board.
The lower face has a drip edge; the upper face has a grip edge.



Bare Metal Gravel Stop 28 Gauge · 10 ft. lengths · Pack Quantity: 10

Size: A x B	Galvanized	Bonderized
2 in. x 4 in. + 1/2 in. rise	-	GS24B
3 in. x 4 in. + 1/4 in. rise	CS34G	-
4 in. x 4 in.+ 1/2 in. rise	-	GS44B



Painted Gravel Stop 28 Gauge · 10 ft. lengths · Pack Quantity: 10


Size: A x B	Brown	White	Charcoal
2 in. x 4 in. + 1/8 in. rise	CS2418BR	CS2418WH	CS2418CH
2 in. x 4 in. + 1/4 in. rise	CS24BR	-	-
3 in. x 3 in x 1/8 in. rise	CS3318BR	CS3318WH	-

26 Gauge Gravel Stop 10 ft. lengths · Pack Quantity: 10

Size: A x B	Galvanized	White	Bond	Brown	Charcoal
2 in. x 4 in. + 1/8 in. rise	CS2418G-26	CS2418WH-26	CS2418B-26	CS2418BR-26	CS2418CH-26
3 in. x 3in x 1/8 in. rise	CS3318G-26	CS3318WH-26	CS3318B-26	-	CS3318CH-26


Roof Starter #230 10 ft. lengths · Pack Quantity: 10

Gauge	Galvanized	Stainless	Black
28	RSG	RSSS	516670




Style-D Eave Drip 10 ft. lengths · Pack: 25

28 Gauge - Hemmed	
Galvanized	SDG
Dark Brown	SDBRW
Royal Brown	SDBRU
White	SDWH



Tile Riser Galvanized Steel · 10 ft. lengths · Pack Quantity: 10 · 4:12 Pitch · Weep & Nail Holes

Color	28 Gauge	26 Gauge
Charcoal	3TR1.5C28	3TR1.5C26
Brown	3TR1.5BR28	3TR1.5BR26
White	3TR1.5WH28	3TR1.5WH26



Tile Pan

26 Gauge Galvanized Steel
10 ft. lengths · Pack Quantity: 10

Size: A x B x C	Galvanized
3-1/2 in. x 6 in. x 1/2 in.	TP10G-26
4 in. x 6 in. x 1 in.	TP11G-26
4 in. x 7 in. x 1 in.	TP12G-26
4 in. x 7 in. x 1 in. - 45°	TP12G-26-45

Tile Pan


26 Gauge Zinc
10 ft. lengths · Pack Quantity: 10

Size: A x B x C	Zinc
3-1/2 in. x 8 in x 1/2 in	TP12Z-26




Saddle Stock Galvanized Steel · 10 ft. lengths · Pack Quantity 10

Size: A x B	Galvanized
4 in. x 14 in. - 28 Ga.	SS414G
4 in. x 14 in. - 26 Ga.	SS414G-26




Bird Stop 28 Gauge · Pack Quantity: 10 **Available in 26GA*

Color	Eagle Capistrano (28 GA)	Vented Eagle Capistrano (28 GA)	Eagle Malibu	Vented Eagle Malibu	Barcelona	Mon-Mission S	Monier Villa	Espana	US Tile	Tile Riser (28 GA)
Southwest Brown	3BSBR28EC*	-	-	-	-	-	-	-	-	3TR1.5BR28*
Charcoal	3BSC28EC*	3BSC28ECV	3BSC28EM	3BSC28EMV	3BSC28LB	3BSC28MS	3BSC28MV	3BSC28LE	3BSC28US	3TR1.5C28*
Terracota	3BSR28EC	3BSR28ECV	3BSR28EM	3BSR28EMV	3BSR28EMV	3BSR28MS	3BSR28MV	-	3BSR28US	-
White	-	-	-	-	-	-	-	-	-	3TR1.5WH28*




Counter Flashing 26 Gauge · 10 ft. lengths · Pack Quantity: 10

Size: A x B	Galvanized	Zinc
3 in. x 1/2 in.	CF3G-26	3CTF.53Z26
5 in. x 1/2 in.	CF5G-26	-




Bare Metal L-Flashing Pack Quantity: 10

	Galvanized			Bonderized	
Size: A x B	30 Ga.	28 Ga.	26 Ga.	26 Ga.	28 Ga.
1 in. x 1-1/2 in.	-	LF115G	-	-	-
1-1/2 in. x 1-1/2 in.	-	LF15G	-	-	-
1 in. x 2 in.	516703	LF12G	-	-	-
2 in. x 2 in.	-	LF22G	LF22G-26	-	-
2 in. x 3 in.	-	LF23G	-	-	-
2 in. x 4 in.	-	-	LF24G-26	LF24B-26	-
3 in. x 3 in.	-	LF33G	-	-	LF33B
3 in. x 4 in.	-	-	LF34G-26	-	-
4 in. x 4 in.	-	LF44G	LF44G-26	LF44B-26	-
4 in. x 5 in.	-	LF45G	-	-	-
4 in. x 6 in.	-	LF46G	LF46G-26	LF46B-26	-
6 in. x 6 in.	-	LF66G	-	-	-




Painted L-Flashing 28 Gague · Pack Quantity: 10

Size: A x B	Black	Dark Brown	White
1.5 in. x 1.5 in.	-	LF15BRW	-
4 in. x 4 in.	-	-	LF44WH
4 in. x 6 in.	-	-	LF46WH
6 in. x 6 in.	LF66BL	-	-




Bare Metal Roof to Wall 10 ft. lengths · Pack Quantity: 10


	Galvanized		Bonderized	Zinc
A x B	28 Gauge	26 Gauge	28 Gauge	26 Gauge
2 in. x 3 in.	RW23G	-	-	-
2 in. x 4 in.	-	RW24G-26	-	RW24Z-26-110
2 in. x 6 in.	-	RW26G-26	RW26B	RW26Z-26-110
3 in. x 5 in.	RW35G	-	-	-
4 in. x 4 in.	-	RW44G-26	-	RW44Z-26-110
4 in. x 5 in.	RW45G-120	-	-	-
4 in. x 6 in.	RW46G	-	-	RW46Z-26-110

**28 Gauge Painted Roof to Wall** 10 ft. lengths · Pack Quantity: 20


Size: A x B	Black	Dark Brown
3 in. x 5 in.	RW35BL	RW35BRW

**28 Gauge W-Valley** 10 ft. lengths · Pack Quantity: 10


Description	Galv.	Bronze	Black	Brown	Charcoal	White
18 in. - Hemmed	V18G	-	-	V18BR	V18CH	-
24 in. - Hemmed	V24G	V24BRZ	V24BL	V24BR	V24CH	V24WH

**26 Gauge W-Valley** 10 ft. lengths · Pack Quantity: 10


Description	Galv.	White	Brown	Charcoal	Zinc
18 in. - No Hem	-	V18WH-26	V18BR-26	V18CH-26	-
24 in. - Hemmed	V24G-26	V24WH-26	V24BR-26	V24CH-26	-
24 in. - Open Hem	V24GOH-26	-	-	-	-
24 in. - 3 Rib, Hemmed	-	-	-	-	V24Z3R-26
24 in. - 3 Rib, Open Hemmed	-	-	-	-	V24Z3ROH-26
24 in. - 5 Rib, Open Hemmed	-	-	-	-	V24Z5R-26

**28 Gauge Z-Flashing** 10 ft. lengths · 28 Gauge Galvanized Steel · Pack Quantity: 20


Size: A x B x C	Galvanized	Bonderized	Brown	Dark Brown	White
3/8 in. x 5/16 in. x 2-1/4 in.	-	-	-	-	-
3/8 in. x 3/8 in. x 2 in.	SZB38G	-	-	516821	SZB38WH
3/8 in. x 7/16 in. x 2-1/4 in.	SZB716G	-	-	-	-
3/8 in. x 1/2 in. x 2-1/8 in.	SZB12G	-	-	SZB12BRW	-
3/8 in. x 5/8 in. x 2 in.	SZB58G	SZB58B	-	SZB58BRW	SZB58WH
3/8 in. x 3/4 in. x 1-7/8 in.	SZB34G	-	-	-	-
3/8 in. x 1 in. x 2 in.	SZB1G-2	-	-	-	-
2 in. x 1 in. x 3 in.	ZB6G	ZB6B	-	-	-
3/8 in. x 1-1/2 in. x 2 in.	SZB115G-2	-	-	-	-
3/8 in. x 1-1/8 in. x 2 in.	SZB118G-2	-	-	-	-
3/8 in. x 1-1/4 in. x 2 in.	SZB125G-2	-	-	-	-
3/8 in. x 7/16 in. x 2-3/16 in.	SZB716G	-	-	-	-
3/8 in. x 7/16 in. x 2-3/16 in.	SZB716G	-	-	-	-

**26 Gauge Z-Flashing** 10 ft. lengths · 26 Gauge Galvanized Steel · Pack Quantity: 20


Size: A x B x C	Galvanized
2 in. x 1 in. x 2 in.	ZB5G-26
2 in. x 1 in. x 3 in.	ZB6G-26
2 in. x 1-1/2 in. x 2 in.	ZB55G-26

**Millwork Z-Flashing** 10 ft. lengths · 28 Gauge Galvanized Steel · Pack Quantity: 20

Size: A x B x C	Galvanized	Bonderized	White
3/8 in. x 1-1/8 in. x 2 in.	SZB118G-2	-	SZB118WH-2
3/8 in. x 1-1/4 in. x 2 in.	SZB125G-2	-	-
3/8 in. x 1-1/2 in. x 2 in.	SZB115G-2	-	-
1/4 in. x 1-1/4 in. x 1-3/8 in.	FLGAWF	-	-
1/2 in. x 1-1/2 in. x 2 in.	WT22G	WT22B	-

**Stainless Steel Z-Flashing** 10 ft. lengths · 28 Gauge Galvanized Steel · Pack Quantity: 20

Size: A x B x C	Stainless Steel
3/8 in. x 5/8 in. x 2 in.	SZB58SS
3/8 in. x 1 in. x 2 in.	SZB1SS-2
3/8 in. x 1-1/2 in. x 2 in.	SZB115SS-2



AWARD

METALS

Roll Flashing/Flat Stock

Galvanized Steel Roll Flashing

Size	30 Gauge			28 Gauge		26 Gauge
	10 ft.	25 ft.	50 ft.	25 ft.	50 ft.	50 ft.
7 in.	518940	518945	518906	-	-	-
8 in.	-	-	518907	-		RV850G-26
10 in.	518941/ RV1010G	518946/ RV1025G	518908/ RV1050G-30	-	-	-
12 in.	-	-	-	RV1225G	-	-
14 in.	518942	518947	518902	RV1425G	RV1450G	
16 in.	-		518917	-	-	-
20 in.	518943	518948	518904	RV2025G	RV2050G-28	RV2050G-26

Aluminum Roll Flashing

Size	10 ft.	25 ft.	50 ft.
6 in.	-	RV625A	-
7 in.	RV710A	518955	RV750A
8 in.	-	RV825A	-
10 in.	RV1010A	-	RV1050A
14 in.	RV1410A	RV1425A	RV1450A
20 in.	RV2010A	RV2025A	RV2050A

Flat Stock & Step Flashing

Galvanized Flat Shingles

Size	Part #	QTY
5 in. x 7 in. 28 Ga. Galvanized Steel - 25 pack	S57G-25	25
5 in. x 7 in. 28 Ga. Galvanized Steel - each	S57EA-200	200
6 in. x 8 in. 28 Ga. Galvanized Steel	S68G-100	100
6 in. x 8 in. 26 Ga. Galvanized Steel	S68G-26-100	100
6 in. x 8 in. 26 Ga. Galvanized Steel	S68G-26-50	50
8 in. x 8 in. 28 Ga. Galvanized Steel - 25 pack	S88G-25	25
8 in. x 12 in. 28 Ga. Galvanized Steel - each	S812EA-100	100
8 in. x 12 in. 26Ga. Galvanized steel - 50pk	S812GAL-26-50	50

Painted Flat Shingles

Dark Brown • 28 Gauge

28	Part #	Qty
8" x 12"	S812BRWEA-100	100
8" x 12"	S812BRE-26-50	50

Brown • 28 Gauge

28	Part #	Qty
6" x 8"	S68BR-100	100
6" x 8"	S68BR-26-100	100
6" x 8"	S68BR-50	50
6" x 8"	S68BR-26-50	50
8" x 12"	S812BR-50	50

11

1450 Virginia Ave., Baldwin Park, CA 91706 · 626-814-4410

AWARD

METALS

Step Flashing

30 Gauge Galvanized Step Flashing

Description	Part #	QTY
4 in. x 4 in. x 12 in. - 30 Gauge	SF4412G-30-50	50

28 Gauge Galvanized Step Flashing

Description	Part #	QTY
3 in. x 3 in. x 7 in. - 28 Gauge - 25 pack	SF337G-25	25
3 in. x 4 in. x 7 in. - 28 Gauge - each	SF347EA-200	200
3 in. x 4 in. x 7 in. - 30 Gauge - each	SF347G-30-50	50
3 in. x 5 in. x 7 in. - 26 Gauge	SF357G-26-100	100
3 in. x 5 in. x 8 in. - 28 Gauge. - 25 pack	SF358G-25	25
4 in. x 4 in. x 8 in. - 28 Gauge - each	SF448EA-50	50
4 in. x 4 in. x 8 in. - 28 Gauge - each	SF448G-100	100
4 in. x 4 in. x 12 in. - 28 Gauge - each	SF4412EA-100	100
4 in. x 6 in. x 14 in. - 28 Gauge - 25 pack	SF4614G-25	25
4 in. x 6 in. x 14 in. - 28 Gauge - each	SF4614EA-50	50

Step Flashing with the word "each" in the description are individually bar coded.

Painted Step Flashing

Black - 26 & 28 Gauge

Size	Part #	QTY
4 x 4 x 12 in. - 28 Gauge - each	SF4412BLEA-100	100
4 x 4 x 8 in. - 26 Gauge - each	511062	50

Dark Brown - 28 Gauge

28 Gauge	Part #	QTY
4 x 4 x 12 in. - each	SF4412BRWEA-100	100


Black

Dark Brown

www.gibraltarbuildingproducts.com

12

Multi Size Pipe Flashing



Galvanized
Multi Size 1/1-4" - 4"

Part #	Color	QTY
56001	Mill Finish	12
56009	Black	12
56010	Brown	12
56011	Weatherwood	12



Aluminum
Multi Size 1/1-4" - 4"

Part #	QTY
56002	12



Plastic
Multi Size 1/1-4" - 4"

Part #	QTY
56003	12



Repair Collar
Multi Size 1/1-4" - 4"


Part #	QTY
56000	20

Galvanized FHA Pipe Flashing Pack Quantity: 25



Size	Oval
1-1/2 in.	RJ15FHA-SP
2 in.	RJ2FHA-SP
3 in. Soil	RJ3FHA-SL
4 in.	RJ4FHA-SL

Aluminum FHA Pipe Flashing Pack Quantity: 25



Size	Part #
1/2 in.	3FL.5A
3/4 in.	3FL.75A
1 in.	3FL1A
1-1/2 in.	3FL1.5A
2 in.	3FL2A
3 in.	3FL3A
4 in.	3FL4A
5 in.	3FL5A
8 in.	3FL8A
14 in.	3FL14A
10 in.	3FL10A
4 in. Oval	3FL4AO



Flue Guard™ Spark Arrestor Chimney Cap

- Sloped lid • 20 gauge powder coated steel
- No tools required • 5/8 in. mesh
- Universal fit: 6 in. x 9 in. up to 14 in. X 22 in.




Genuine 5/8" mesh meets the strict California Fire Code!

Description	Part #	QTY
Flue Guard™ Chimney Cap	CG4BLK	1


Rectangular Gable Louver Flange Center 1/8 inch galvanized insect screen · Pack Quantity: 10

Size: A x B	N.F.V.	Brown	White
12 in. x 12 in.	50.5 sq. in.	GLFC1212BR	GLFC1212WH
12 in. x 18 in.	79.0 sq. in.		GLFC1218WH
14 in. x 18 in.	93.4 sq. in.		GLFC1418WH
14 in. x 24 in.	131.6 sq. in.		GLFC1424WH




Rectangular Gable Louver Flange Front 1/8 inch galvanized insect screen

Size: A x B	N.F.V.	White	QTY
12 in. x 12 in.	50.5 sq. in.	GLFF1212WH-1/8	10
12 in. x 18 in.	79.0 sq. in.	GLFF1218WH-1/8	10
14 in. x 12 in.	56.2 sq. in.	GLFF1412WH-1/8	10
14 in. x 18 in.	93.4 sq. in.	GLFF1418WH-1/8	10
14 in. x 24 in.	131.6 sq. in.	GLFF1424WH-1/8	10



Rectangular Gable Louver Plaster Ground 1/8 inch galvanized insect screen

Size: A x B	N.F.V.	Galvanized	QTY
12 in. x 12 in.	50.5 sq. in.	GLPG1212G-1/8	10
12 in. x 18 in.	79.0 sq. in.	GLPG1218G-1/8	10
14 in. x 12 in.	56.2 sq. in.	GLPG1412G-1/8	10
14 in. x 18 in.	93.4 sq. in.	GLPG1418G-1/8	10
14 in. x 24 in.	131.6 sq. in.	GLPG1424G-1/8	10
18 in. x 24 in.	170.8 sq. in.	GLPG1824G-1/8	10




7/8 in. Ground

Bonderized Gable Louver 1/8 inch galvanized insect screen

Size: A x B	N.F.V.	Galvanized	QTY
14 in. x 18 in. Flange Front	93.4 sq. in.	GLPG1418G-1/8	10
14 in. x 24 in. Plaster Ground	131.6 sq. in.	GLPG1424G-1/8	10

Scupper Left


26 Gauge Galvanized · Pack Quantity: 5 pcs



Size: A x B	Part #
3 in. x 4 in. + 10 in. tube	3SPL34G26

Scupper Center


26 Gauge Galvanized · Pack Quantity: 5 pcs



Size: A x B	Part #
2 in. x 3 in. + 10 in. tube	3SPC23G26
3 in. x 4 in. + 10 in. tube	3SPC34G26
4 in. x 6 in. + 10 in. tube	3SPC46G26

Scupper Right

26 Gauge Galvanized · Pack Quantity: 5 pcs



Size: A x B	Part #
3 in. x 4 in. + 10 in. tube	3SPR34G26
6 in. x 6 in. + 10 in. tube	3SPR66G26


AWARD

METALS

Rooftop Vents

Econo Vent 26 Gauge Galvanized Steel · Flat roof.

Size	N.F.V.	Part#	QTY
12 in. x 12 in.	102 sq. in.	1212EV	2
12 in. x 12 in. - Removeable Top	102 sq. in.	1212EV-RT	2
14 in x 14 in	123 sq. in.	1414EV	2
14 in. x 14 in. - Removeable Top	123 sq. in.	1414EV-RT	2
16 in x 16 in	144 sq. in.	1616EV	2
18 in. x 18 in.	240 sq. in.	1818EV	2



T-Top 26 Gauge

Description	Aluminum	Galvanized	Bonderized	QTY
4 in. FHA Base	3TT4A	3TT4G26	-	1
4 in. FHA Base with Cap and Screen	-	3TT4G26-EC	-	1
4 in. Standard Base	-	RJ4G	RJ4B	12
4 in. w/screen	-	3TT4G26-S	-	1
7 in. FHA Base	3TT7A	3TT7G26	-	1
7 in. FHA Base with Cap and Screen	-	3TT7G26-EC	-	1
7 in. Standard Base	-	RJ7G	RJ7B	8
7 in. w/screen	-	3TT7G26-S	-	1



Total JACK™ The only roof jack with an adjustable stack. Adjusts to fit most roof pitches.

Size	Mill	Black	Brown	QTY
6 in.	JACK6GZ	JACK6BLK	JACK6BRN	7
8 in.	JACK8GZ	JACK8BLK	JACK8BRN	6

Patent#: US 8,534,013 B3
Patent#: US 8,615,943 B2



T-Top Sub-Base

Size	Part #	QTY
4 in. Sub Base - 28 Ga.	SJ4G	20

**Code Caps & Bases
Tops Only**

Size	Part #	CTN/QTY
4 inch cap	CC4T	24
6 inch cap	CC6T	24
8 inch cap	CC8T	24



Top

Bases Only

Size	Part #
4 inch	CC4B
6 inch	CC6B
8 inch	CC8B

Vent Caps

Size	Round	Oval	QTY
3 inch	RBVC3	-	24
4 inch	RBVC4	OBVC4	24
5 inch	RBVC5	-	12
6 inch	RBVC6	-	6



Oval



Round




AWARD

METALS

Rooftop Vents

Half Round Dormer

Size	N.F.V.	Part #
24 in. x 12 in.	100	BH24-1/8



Soft Flange Dormer

1/8 in. galvanized mesh.
Galvanized Steel + Soft Aluminum Flange for curved tile roofs

Size	N.F.V.	Part #
18" Galvanized with Aluminum 2 sides	64	STDH18GB
18" Galvanized with Aluminum 3 Sides	60	STDS18-3B
24 x 12 - Aluminum 2 sides	104	STDS24-2B-1/8
24 x 12 - Aluminum 3 sides	104	STDS24-3B

Kwik Mesh™

Galvanized - 1/8 in. mesh

Size	Part #	QTY.
4 in. x 25 ft.	KM425	6 rolls
6 in. x 25 ft.	KM625	6 rolls
8 in. x 25 ft.	KM825	3 rolls
12 in. x 20 ft.	KM1220	3 rolls

KM425 34.08 sq. in./ft. N.F.A.
KM625 51.12 sq. in./ft. N.F.A.
KM825 68.16 sq. in./ft. N.F.A.
KM1220 102.24 sq. in./ft. N.F.A.



24 in. Stealth Vent*

39 sq. in. N.F.V. · 26 Gauge

Description	No Hem	Hemmed	QTY
Zinc	3STH24Z26ANH	3STH24Z26AB	50
Zinc w/ Black Mesh Screen	3STH24Z26ANHB	-	50
Sub-Base with Screen	3SBF24Z26STHS	-	10

*Roof Deck Opening: 14 in. x 5 in. Hemmed Vent for Tile Roofs; requires Sub-Base.
Sub Base not required for unhemmed composition shingle application.*



Black Mesh, 36, & 48 inch Stealth Vents available upon request, order minimum 100. Contact your Gibraltar Rep for further details.

Low Profile Dormer

Galvanized Steel · Hard Flange · 1/8 in. mesh


Size	N.F.V.	Part #
19 in. x 4 in.	46 sq. in.	LPDG19-1/8



RV38 Slant Back Galvanized

38 Square Inch NFA · Steel Vent Slant Back
Galvanized Steel · 17 in. x 20 in. flange

Galvanized	QTY
558011	6



RVG51 Square Galvanized Steel Static Vent

50 Square Inch NFA

Mill	PC/CTN
RVG51000	9



RVG55 Slant Back Galvanized Steel Static Vent


50 Square Inch NFA

Black	PC/CTN
RVG55016	6



Ventilating Access Door

1/8 inch mesh · For crawl space access



18 in. x 24 in. | R.O.: 18.25 in. x 25 in.

Description	Part #	QTY
Ventilating Access Door	CHADS-1/8	10

Tub Access Door

Pressure fit door · Drywall Frame



14 in. x 14 in.

Description	Part #	QTY
Tub Access Door	TA14DW	10

4 Inch Dryer Cap




Description	Part #	QTY
Galvanized Steel	DV4	14

Flat Screen Vent

Galvanized Steel · 1/8 in. mesh

Size: A x B	N.F.V.	Rough Opening	Part #	QTY
16 in. x 4 in.	23.7 sq. in.	14.5 in. x 2.5 in.	SCV164-1/8	25
16 in. x 6 in.	42.6 sq. in.	14.5 in. x 4.5 in.	SCV166-1/8	25
16 in. x 8 in.	61.5 sq. in.	14.5 in. x 6.5 in.	SCV168-1/8	25



Two Way Vents

Galvanized steel · 1/8 in. mesh · Reversible flange for plaster or surface mount

Size: A x B	N.F.V.	Rough Opening	Part #	QTY
14 in. x 4 in.	28.4 sq. in.	13.75 in. x 3.25 in.	TW144-1/8	30
14 in. x 6 in.	44.8 sq. in.	13.75 in. x 5.25 in.	TW146-1/8	24
14 in. x 8 in.	62.2 sq. in.	13.75 in. x 7.25 in.	TW148-1/8	16



Two Way Vent

With decorative floral plastic insert

Description	Part #	QTY
14 in. x 6 in. Vent + Insert	TWPIV-1/8	24
Insert only	PIV614	24



Mini Louver

Aluminum, no Screen

Size	N.F.V.	Part #	QTY
2 inch	0.47 sq. in.	ML2	100
3 inch	1.34 sq. in.	ML3	50
4 inch	2.88 sq. in.	ML4	20



Continuous Soffit Vent


Description	N.F.V.	Black	QTY
Aluminum	9 sq. in./ft.	556014	30



Soffit Vent

Stucco Ready · 1/8 inch mesh


Size: A x B	N.F.V.	Rough Opening	Part #	QTY
14 in. x 5 in.	52.1 sq. in.	14.5 in. x 5.5 in.	SV145-1/8	26
22 in. x 3 in.	51.4 sq. in.	22.5 in. x 3.25 in.	SV223-1/8	9



Eave Vent

Stucco or Straight Flange · 1/8 inch mesh

Size	N.F.V.	Galvanized	QTY
14 in. x 6 in.		EV614-1/8	25
22 in. x 3 in. - 1/8 mesh - STU	34.3 sq. in.	EV223-1/8	25
22 in. x 6 in.		EV622-1/8	25



STU = Stucco Flange

REG = Straight Flange

Stamped Foundation Vent


Stucco Reveal

Galvanized

Description	N.F.V.	Part #	QTY
14 x 6 in. - 1/8 mesh	51 sq. in.	FV146G-1/8	25

Bonderized



14 x 6 in. - 1/4 mesh	51 sq. in.	FV146B-1/8	25
-----------------------	------------	------------	----



Rain Diverter


Rain Diverter

Description	Part #	QTY
28 Ga. Galvanized - 1 1/2 in. x 4 in. x 1/2 in. - 6 ft. Length	RD672G	20




Gently lift 2nd row of shingles, directly above the doorway.

Rain Diverter can also be used to evenly disperse 2nd story downspout runoff to a pitched 1st story roof.



Slide Rain Diverter under shingles as far as it will go, giving it a slight pitch to one side.

Your Rain Diverter should extend at least 1 ft. on either side of the doorway. Cut to desired length with tin snips. For lengths greater than 60 in., overlay 2 or more Rain Diverters.




Fasten with 3 hot dipped galvanized roofing nails.

Seal nail heads with roofing cement and press shingles back into place.


Straight Fascia Gutter 26 Gauge Bonderized Steel

Size	Length	With Wing	No Wing	QTY
2 x 4	10 ft.	FG2410WWB	FG2410NWB	10
2 x 4	16 ft.	FG2416WWB	FG2416NWB	6
2 x 4	20 ft.	FG2420WWB		6
2 x 4	25 ft.	FG2425WWB		6



End Caps For Straight & Deco Fascia Gutter · Pack Quantity: 50

	Bonderized
2x4 Left	FG24ECLHB
2x4 Right	FG24ECRHB



Slip Connectors · Pack Quantity: 25

2x4	Part #
Bonderized	FG24SCB



End Piece · Pack Quantity: 12

2x4	Bonderized
2-1/4 in. sq. drop	FG24EP214B
2 in. round drop	FG24EPRD2B



Outside Mitre · Pack Quantity: 12

	Bonderized
2x4	FG24OMB



Inside Mitre · Pack Quantity: 12

	Bonderized
2x4	FG24IMB



Elbows 28 Ga. Bonderized Steel · Pack Quantity: 20

	45°	75°
A - 1 3/4 in. x 2 3/4 in.	CE134234B-A45	CE134234B-A75
B - 1 3/4 in. x 2 3/4 in.	CE134234B-B45	CE134234B-B75
2 in. Round	CERD2B-45	CERD2B-75
3 in. Round - 26 Ga.	CERD3B-45-26	CERD3B-75-26



Conductor Head 26 Gauge · Pack Quantity: 10

	Bonderized
1-3/4 x 2-3/4 Sq. Drop	CH134234B
2 in. Round Drop	CHRD2B
3 in. Round Drop	CHRD3B



Fascia Gutter Hangers 18 Ga. Galvanized · Pack Quantity: 100



Description	2 x 4	2 x 6
Gutter Hanger (Strap)	GH4G-18	GH725G-18
Hidden Hanger	HH24G-18	-
Fascia Gutter Spacers	FGS24G-18	-

Wire Strainers

Size	Part#	QTY
2 inch dia.	CPWSRD2G	25



Downspout - Square

Galvanized Steel · Pack Quantity: 10

Size	Gauge	Bonderized
1-3/4 in. x 2-3/4 in. x 10 ft.	26	#CP13423411B



Bonderized Downspout - Round Pack Quantity: 10

Size	Part #
2 in. x 11 ft. - 28 Gauge	CPRD211B
3 in. x 11 ft. - 26 Gauge	CPRD311B-26




Bonderized

Downspout Straps Pack Quantity: 100

Size	Bonderized	QTY
2 in.Round - 26 Ga.	CPSRD2B	50
3 in. Round - 26 Ga.	CPSRD3B	100




Steel Fascia Gutters



Fascia Gutter




Fascia Gutter + Wing




Gutter Hangers



Slip Connectors



Outside Mitre




Inside Mitre




End Piece



End Caps



Elbows




Downspouts

GIBRALTAR

BUILDING ACCESSORIES DIVISION

GIBRALTAR BUILDING ACCESSORIES DIVISION

"Provider of Quality Building Accessories, Built Upon Regional Expertise"



- ✓ Trims & Flashing
- ✓ Metal Roofing
- ✓ Ventilation

- ✓ Drywall Bead
- ✓ Stucco & Plaster

- ✓ Soffit & Fascia
- ✓ Steel Framing

-AWARD-

M E T A L S